

AMENDMENTS TO THE CLAIMS

The following is a complete listing of the claims, which replace all previous versions and listings of the claims.

1. (currently amended) A method ~~for~~ of supervising a managed server serving dynamic data through a network interface, comprising the acts of:

serving providing a Web page to a requesting computer from a file system embedded within the managed server, the Web page comprising a source call to an data-object file, wherein the requesting computer is disposed remote from the managed server;

generating the data-object file from dynamic data in real-time, the object file configured to access dynamic data from the server, wherein the dynamic data comprises information indicative of status of the managed server;

serving the dynamic data to the Web page in real-time via data variables in the object file, wherein the act of serving the dynamic data is performed separately from the act of providing the Web page; and

populating the Web page with the dynamic data via the data-object file in real-time based on the source call.

2. (currently amended) The method of claim 1, wherein the act of serving providing the Web page comprises the act of retrieving the Web page from ~~a~~ the file system, wherein the file system comprising comprises a plurality of Web pages in a markup language.

3. (currently amended) The method of claim 1, comprising the acts of generating and testing the Web page independently from the object file, wherein the Web page is constructed in a markup language compatible with a scripting language for the source call.

4. (cancelled).

5. (cancelled).

6. (cancelled).

7. (currently amended) The method of claim 1, wherein the act of populating the Web page ~~with the data file~~ comprises the act of merging the dynamic data file with the Web page via a Web browser.

8. (currently amended) A method ~~for serving ephemeral data in a Web browser~~ of operating a managed server, comprising the acts of:

providing a Web page to a remote browser from an embedded system disposed within the managed server, wherein the Web page comprises a call to a dynamic data file in a Web page and the Web page is written in a standard markup language, and wherein the call is configured to be evaluated at the remote browser to initiate a data request from the remote browser to the embedded system based on the call;

localizing a language of the Web page via language localization files disposed in the embedded system;

accessing dynamic data from the embedded system and creating the dynamic data file in real-time independently of the Web page and in response to the data request; and

transmitting the dynamic data file from the embedded system to the remote browser for merging the dynamic data in the dynamic data file with the provided Web page based on the call to populate the Web page at the remote browser.

9. (currently amended) The method of claim 8, wherein the ~~act of providing the call~~ comprises ~~the act of using a scripting language to execute the call.~~

10. (original) The method of claim 8, wherein the dynamic data file comprises a scripting language file.

11 - 15. (cancelled).

16. (currently amended) A ~~dynamic data server system~~ managed server,
comprising:

a management module embedded in the managed server

a Web server disposed on the management module;

a file system disposed on the management module and configured adapted to
store dynamic data and Web pages for to be served to a requesting computer via the
Web server;

a dynamic Web page stored on the file system, wherein the dynamic Web page
comprises a call for a file in a scripting language;

a call analysis module adapted to identify dynamic data desired by the call;

a data collection module adapted to retrieve from the managed server the
dynamic data identified by the call analysis module and to generate the file; and

a data transmission module adapted to serve the file separately from the
dynamic Web page to the requesting computer; and

a data population module adapted to merge the dynamic data in the file with
the dynamic Web page at the requesting computer.

17. (currently amended) The ~~dynamic data~~managed server system of claim 16,
wherein the dynamic Web page is written in an Internet markup language.

18. (currently amended) The ~~dynamic data~~managed server system of claim 16,
wherein the data population module is executable by a Web-browser.

19. (currently amended) The ~~dynamic data~~managed server system of claim 16,
wherein the data population module comprises a scripting function disposed in the
file.

20. (cancelled).

21. (currently amended) The method of claim 1, comprising localizing a language of the Web page via language localization files embedded within the managed server.

22. (currently amended) The method of claim 1, comprising enabling remotely managingmanagement of a headless computer systemthe managed server based on the dynamic data.

23. (cancelled).

24. (currently amended) The method of claim 8, wherein the dynamic data is indicative of a status of a remotethe computer systemmanaged server.

25. (currently amended) The dynamic datamanaged server system of claim 16, wherein the file system comprises language files adapted to facilitate language localization.

26. (new) The method of claim 1, comprising storing the object file temporarily in a cache of the requesting computer.

27. (new) The method of claim 8, comprising storing the dynamic data file in a cache of the remote browser while merging the dynamic data with the Web page.

28. (new) The managed server of claim 16, wherein the management module comprises a lights-out management module.